

KREYDENKOV, G.P.; KASHCHIN, V.A.

Paleogene of the northern slopes of the Gissar Range. Dokl. AN SSSR 198
no. 2:355-358 S '64. (MIRA 17:10)

1. Yuzhno-Tadzhikskaya geologorazvedochnaya ekspeditsiya. Predstavleno
akademikom A.L.Yanashinym.

KREYDENKOV, G.P.

Upper boundary of Paleozoic sediments in the Tajik Depression.
Dokl. AN SSSR 159 no.4:799-801 D '64 (MIRA 18:1)

1. Predstavleno akademikom D.V. Nalivkinym.

KRAYDENKOV, G.P.; MELAMOV, Y.B.

Synchronism of the Al-ine tectonic plates of Iran and the southern Tien Shan. Dokl. AN BSSR 1964 no. 4: 301-302, 1965.

(MIRA 18:10)

1. Yuzhno-Tadzhikskaya geologicheskaya kartografiya.
Submitted March 9, 1965.

MOROZOVA, V.G., KREYDENKOV, G.I.; DAVIDZON, R.M.

Biostratigraphy of Paleocene sediments in the Tajik Depression.
Biol. Zhurn. 40 no.3:34-56 My-Je '65. (MIFA 1818)

KREYDICH, A.

"Collection of works on research and preactice by physicians of
Minsk Province." Reviewed by A. Kreidich. Zdrav.Belor. 5 no.1:
76-77 Ja '60. (MIRA 13:5)
(WHITE RUSSIA--MEDICINE)

1. Kreylik, P.N.

Kreylik, P.N. "For high and stable harvests of grain and oil seeds", (In book "P. Kreylik")
Sel. Khoz-vo Tsentralnaya, 1949, No. 1, p. 24-25.

So: U-5.61, 10 A 10 10, (Letopis 'zhurnal 'nykh itatey No. 1, 1949)

KREYDIK, B.

20005 KREYDIK, B. Za vysokie upozhai semyan i sena lyutsesny! sel. khoz-vo
tadzhikistana, 1949, No. 3, s. 41-44.

SO: LETOPIS ZHURNAL STATEY, Vol. 27, Moskva, 1949.

RUSSIAN, R.

33291. O Rezervakh V Povyshenii Urozhaynosti Khlebochnykh Sel. Mos.-o Tadzhikistana,
1949, No. 3, C. 15-19

SO: Leto, is' Zhurnal'naya Slaley Vol. 45, Moskva, 1949

KREYDIN, B.

Cotton Growing - Soviet Central Asia

Reducing inter-row space in cotton planting. Khlopkovodstvo. No. 1, 1952.

9. Monthly List of Russian Accessions, Library of Congress, September 19521953, Uncl.

KREYDIK, B.M.; MAKUMOV, A.N.

Alfalfa-Sudan grass mixtures. Zemledelie 4 no.6:95-97 Jo '56.
(MLBA 9:8)

1. Tedshhiskaya gosudarstvennaya selektsionnaya stantsiya.
(Tajikistan--Alfalfa) (Sudan grass)

KREYDIK, B.M.

[Tajik State Plant Breeding Station; a brief summary of work done]
Tadzhikskaya gosudarstvennaya selektsionnaya stantsiya (kratkie
itogi rabot). Stalinabad, Tadzhikgosizdat, 1957. 61 p. (MIRA, 11:5)
(Tajikistan--Plant Breeding)

1. CULTIVATED PLANTS
2. 1951-1952

3. 1953

1. 1953-1954
2. 1955-1956
3. 1957-1958
4. 1959-1960
5. 1961-1962
6. 1963-1964
7. 1965-1966
8. 1967-1968
9. 1969-1970
10. 1971-1972
11. 1973-1974
12. 1975-1976
13. 1977-1978
14. 1979-1980
15. 1981-1982
16. 1983-1984
17. 1985-1986
18. 1987-1988
19. 1989-1990
20. 1991-1992
21. 1993-1994
22. 1995-1996
23. 1997-1998
24. 1999-2000
25. 2001-2002
26. 2003-2004
27. 2005-2006
28. 2007-2008
29. 2009-2010
30. 2011-2012
31. 2013-2014
32. 2015-2016
33. 2017-2018
34. 2019-2020
35. 2021-2022
36. 2023-2024
37. 2025-2026
38. 2027-2028
39. 2029-2030
40. 2031-2032
41. 2033-2034
42. 2035-2036
43. 2037-2038
44. 2039-2040
45. 2041-2042
46. 2043-2044
47. 2045-2046
48. 2047-2048
49. 2049-2050
50. 2051-2052
51. 2053-2054
52. 2055-2056
53. 2057-2058
54. 2059-2060
55. 2061-2062
56. 2063-2064
57. 2065-2066
58. 2067-2068
59. 2069-2070
60. 2071-2072
61. 2073-2074
62. 2075-2076
63. 2077-2078
64. 2079-2080
65. 2081-2082
66. 2083-2084
67. 2085-2086
68. 2087-2088
69. 2089-2090
70. 2091-2092
71. 2093-2094
72. 2095-2096
73. 2097-2098
74. 2099-2100
75. 2101-2102
76. 2103-2104
77. 2105-2106
78. 2107-2108
79. 2109-2110
80. 2111-2112
81. 2113-2114
82. 2115-2116
83. 2117-2118
84. 2119-2120
85. 2121-2122
86. 2123-2124
87. 2125-2126
88. 2127-2128
89. 2129-2130
90. 2131-2132
91. 2133-2134
92. 2135-2136
93. 2137-2138
94. 2139-2140
95. 2141-2142
96. 2143-2144
97. 2145-2146
98. 2147-2148
99. 2149-2150
100. 2151-2152
101. 2153-2154
102. 2155-2156
103. 2157-2158
104. 2159-2160
105. 2161-2162
106. 2163-2164
107. 2165-2166
108. 2167-2168
109. 2169-2170
110. 2171-2172
111. 2173-2174
112. 2175-2176
113. 2177-2178
114. 2179-2180
115. 2181-2182
116. 2183-2184
117. 2185-2186
118. 2187-2188
119. 2189-2190
120. 2191-2192
121. 2193-2194
122. 2195-2196
123. 2197-2198
124. 2199-2200
125. 2201-2202
126. 2203-2204
127. 2205-2206
128. 2207-2208
129. 2209-2210
130. 2211-2212
131. 2213-2214
132. 2215-2216
133. 2217-2218
134. 2219-2220
135. 2221-2222
136. 2223-2224
137. 2225-2226
138. 2227-2228
139. 2229-2230
140. 2231-2232
141. 2233-2234
142. 2235-2236
143. 2237-2238
144. 2239-2240
145. 2241-2242
146. 2243-2244
147. 2245-2246
148. 2247-2248
149. 2249-2250
150. 2251-2252
151. 2253-2254
152. 2255-2256
153. 2257-2258
154. 2259-2260
155. 2261-2262
156. 2263-2264
157. 2265-2266
158. 2267-2268
159. 2269-2270
160. 2271-2272
161. 2273-2274
162. 2275-2276
163. 2277-2278
164. 2279-2280
165. 2281-2282
166. 2283-2284
167. 2285-2286
168. 2287-2288
169. 2289-2290
170. 2291-2292
171. 2293-2294
172. 2295-2296
173. 2297-2298
174. 2299-2300
175. 2301-2302
176. 2303-2304
177. 2305-2306
178. 2307-2308
179. 2309-2310
180. 2311-2312
181. 2313-2314
182. 2315-2316
183. 2317-2318
184. 2319-2320
185. 2321-2322
186. 2323-2324
187. 2325-2326
188. 2327-2328
189. 2329-2330
190. 2331-2332
191. 2333-2334
192. 2335-2336
193. 2337-2338
194. 2339-2340
195. 2341-2342
196. 2343-2344
197. 2345-2346
198. 2347-2348
199. 2349-2350
200. 2351-2352
201. 2353-2354
202. 2355-2356
203. 2357-2358
204. 2359-2360
205. 2361-2362
206. 2363-2364
207. 2365-2366
208. 2367-2368
209. 2369-2370
210. 2371-2372
211. 2373-2374
212. 2375-2376
213. 2377-2378
214. 2379-2380
215. 2381-2382
216. 2383-2384
217. 2385-2386
218. 2387-2388
219. 2389-2390
220. 2391-2392
221. 2393-2394
222. 2395-2396
223. 2397-2398
224. 2399-2400
225. 2401-2402
226. 2403-2404
227. 2405-2406
228. 2407-2408
229. 2409-2410
230. 2411-2412
231. 2413-2414
232. 2415-2416
233. 2417-2418
234. 2419-2420
235. 2421-2422
236. 2423-2424
237. 2425-2426
238. 2427-2428
239. 2429-2430
240. 2431-2432
241. 2433-2434
242. 2435-2436
243. 2437-2438
244. 2439-2440
245. 2441-2442
246. 2443-2444
247. 2445-2446
248. 2447-2448
249. 2449-2450
250. 2451-2452
251. 2453-2454
252. 2455-2456
253. 2457-2458
254. 2459-2460
255. 2461-2462
256. 2463-2464
257. 2465-2466
258. 2467-2468
259. 2469-2470
260. 2471-2472
261. 2473-2474
262. 2475-2476
263. 2477-2478
264. 2479-2480
265. 2481-2482
266. 2483-2484
267. 2485-2486
268. 2487-2488
269. 2489-2490
270. 2491-2492
271. 2493-2494
272. 2495-2496
273. 2497-2498
274. 2499-2500
275. 2501-2502
276. 2503-2504
277. 2505-2506
278. 2507-2508
279. 2509-2510
280. 2511-2512
281. 2513-2514
282. 2515-2516
283. 2517-2518
284. 2519-2520
285. 2521-2522
286. 2523-2524
287. 2525-2526
288. 2527-2528
289. 2529-2530
290. 2531-2532
291. 2533-2534
292. 2535-2536
293. 2537-2538
294. 2539-2540
295. 2541-2542
296. 2543-2544
297. 2545-2546
298. 2547-2548
299. 2549-2550
300. 2551-2552
301. 2553-2554
302. 2555-2556
303. 2557-2558
304. 2559-2560
305. 2561-2562
306. 2563-2564
307. 2565-2566
308. 2567-2568
309. 2569-2570
310. 2571-2572
311. 2573-2574
312. 2575-2576
313. 2577-2578
314. 2579-2580
315. 2581-2582
316. 2583-2584
317. 2585-2586
318. 2587-2588
319. 2589-2590
320. 2591-2592
321. 2593-2594
322. 2595-2596
323. 2597-2598
324. 2599-2600
325. 2601-2602
326. 2603-2604
327. 2605-2606
328. 2607-2608
329. 2609-2610
330. 2611-2612
331. 2613-2614
332. 2615-2616
333. 2617-2618
334. 2619-2620
335. 2621-2622
336. 2623-2624
337. 2625-2626
338. 2627-2628
339. 2629-2630
340. 2631-2632
341. 2633-2634
342. 2635-2636
343. 2637-2638
344. 2639-2640
345. 2641-2642
346. 2643-2644
347. 2645-2646
348. 2647-2648
349. 2649-2650
350. 2651-2652
351. 2653-2654
352. 2655-2656
353. 2657-2658
354. 2659-2660
355. 2661-2662
356. 2663-2664
357. 2665-2666
358. 2667-2668
359. 2669-2670
360. 2671-2672
361. 2673-2674
362. 2675-2676
363. 2677-2678
364. 2679-2680
365. 2681-2682
366. 2683-2684
367. 2685-2686
368. 2687-2688
369. 2689-2690
370. 2691-2692
371. 2693-2694
372. 2695-2696
373. 2697-2698
374. 2699-2700
375. 2701-2702
376. 2703-2704
377. 2705-2706
378. 2707-2708
379. 2709-2710
380. 2711-2712
381. 2713-2714
382. 2715-2716
383. 2717-2718
384. 2719-2720
385. 2721-2722
386. 2723-2724
387. 2725-2726
388. 2727-2728
389. 2729-2730
390. 2731-2732
391. 2733-2734
392. 2735-2736
393. 2737-2738
394. 2739-2740
395. 2741-2742
396. 2743-2744
397. 2745-2746
398. 2747-2748
399. 2749-2750
400. 2751-2752
401. 2753-2754
402. 2755-2756
403. 2757-2758
404. 2759-2760
405. 2761-2762
406. 2763-2764
407. 2765-2766
408. 2767-2768
409. 2769-2770
410. 2771-2772
411. 2773-2774
412. 2775-2776
413. 2777-2778
414. 2779-2780
415. 2781-2782
416. 2783-2784
417. 2785-2786
418. 2787-2788
419. 2789-2790
420. 2791-2792
421. 2793-2794
422. 2795-2796
423. 2797-2798
424. 2799-2800
425. 2801-2802
426. 2803-2804
427. 2805-2806
428. 2807-2808
429. 2809-2810
430. 2811-2812
431. 2813-2814
432. 2815-2816
433. 2817-2818
434. 2819-2820
435. 2821-2822
436. 2823-2824
437. 2825-2826
438. 2827-2828
439. 2829-2830
440. 2831-2832
441. 2833-2834
442. 2835-2836
443. 2837-2838
444. 2839-2840
445. 2841-2842
446. 2843-2844
447. 2845-2846
448. 2847-2848
449. 2849-2850
450. 2851-2852
451. 2853-2854
452. 2855-2856
453. 2857-2858
454. 2859-2860
455. 2861-2862
456. 2863-2864
457. 2865-2866
458. 2867-2868
459. 2869-2870
460. 2871-2872
461. 2873-2874
462. 2875-2876
463. 2877-2878
464. 2879-2880
465. 2881-2882
466. 2883-2884
467. 2885-2886
468. 2887-2888
469. 2889-2890
470. 2891-2892
471. 2893-2894
472. 2895-2896
473. 2897-2898
474. 2899-2900
475. 2901-2902
476. 2903-2904
477. 2905-2906
478. 2907-2908
479. 2909-2910
480. 2911-2912
481. 2913-2914
482. 2915-2916
483. 2917-2918
484. 2919-2920
485. 2921-2922
486. 2923-2924
487. 2925-2926
488. 2927-2928
489. 2929-2930
490. 2931-2932
491. 2933-2934
492. 2935-2936
493. 2937-2938
494. 2939-2940
495. 2941-2942
496. 2943-2944
497. 2945-2946
498. 2947-2948
499. 2949-2950
500. 2951-2952
501. 2953-2954
502. 2955-2956
503. 2957-2958
504. 2959-2960
505. 2961-2962
506. 2963-2964
507. 2965-2966
508. 2967-2968
509. 2969-2970
510. 2971-2972
511. 2973-2974
512. 2975-2976
513. 2977-2978
514. 2979-2980
515. 2981-2982
516. 2983-2984
517. 2985-2986
518. 2987-2988
519. 2989-2990
520. 2991-2992
521. 2993-2994
522. 2995-2996
523. 2997-2998
524. 2999-3000
525. 3001-3002
526. 3003-3004
527. 3005-3006
528. 3007-3008
529. 3009-3010
530. 3011-3012
531. 3013-3014
532. 3015-3016
533. 3017-3018
534. 3019-3020
535. 3021-3022
536. 3023-3024
537. 3025-3026
538. 3027-3028
539. 3029-3030
540. 3031-3032
541. 3033-3034
542. 3035-3036
543. 3037-3038
544. 3039-3040
545. 3041-3042
546. 3043-3044
547. 3045-3046
548. 3047-3048
549. 3049-3050
550. 3051-3052
551. 3053-3054
552. 3055-3056
553. 3057-3058
554. 3059-3060
555. 3061-3062
556. 3063-3064
557. 3065-3066
558. 3067-3068
559. 3069-3070
560. 3071-3072
561. 3073-3074
562. 3075-3076
563. 3077-3078
564. 3079-3080
565. 3081-3082
566. 3083-3084
567. 3085-3086
568. 3087-3088
569. 3089-3090
570. 3091-3092
571. 3093-3094
572. 3095-3096
573. 3097-3098
574. 3099-3100
575. 3101-3102
576. 3103-3104
577. 3105-3106
578. 3107-3108
579. 3109-3110
580. 3111-3112
581. 3113-3114
582. 3115-3116
583. 3117-3118
584. 3119-3120
585. 3121-3122
586. 3123-3124
587. 3125-3126
588. 3127-3128
589. 3129-3130
590. 3131-3132
591. 3133-3134
592. 3135-3136
593. 3137-3138
594. 3139-3140
595. 3141-3142
596. 3143-3144
597. 3145-3146
598. 3147-3148
599. 3149-3150
600. 3151-3152
601. 3153-3154
602. 3155-3156
603. 3157-3158
604. 3159-3160
605. 3161-3162
606. 3163-3164
607. 3165-3166
608. 3167-3168
609. 3169-3170
610. 3171-3172
611. 3173-3174
612. 3175-3176
613. 3177-3178
614. 3179-3180
615. 3181-3182
616. 3183-3184
617. 3185-3186
618. 3187-3188
619. 3189-3190
620. 3191-3192
621. 3193-3194
622. 3195-3196
623. 3197-3198
624. 3199-3200
625. 3201-3202
626. 3203-3204
627. 3205-3206
628. 3207-3208
629. 3209-3210
630. 3211-3212
631. 3213-3214
632. 3215-3216
633. 3217-3218
634. 3219-3220
635. 3221-3222
636. 3223-3224
637. 3225-3226
638. 3227-3228
639. 3229-3230
640. 3231-3232
641. 3233-3234
642. 3235-3236
643. 3237-3238
644. 3239-3240
645. 3241-3242
646. 3243-3244
647. 3245-3246
648. 3247-3248
649. 3249-3250
650. 3251-3252
651. 3253-3254
652. 3255-3256
653. 3257-3258
654. 3259-3260
655. 3261-3262
656. 3263-3264
657. 3265-3266
658. 3267-3268
659. 3269-3270
660. 3271-3272
661. 3273-3274
662. 3275-3276
663. 3277-3278
664. 3279-3280
665. 3281-3282
666. 3283-3284
667. 3285-3286
668. 3287-3288
669. 3289-3290
670. 3291-3292
671. 3293-3294
672. 3295-3296
673. 3297-3298
674. 3299-3300
675. 3301-3302
676. 3303-3304
677. 3305-3306
678. 3307-3308
679. 3309-3310
680. 3311-3312
681. 3313-3314
682. 3315-3316
683. 3317-3318
684. 3319-3320
685. 3321-3322
686. 3323-3324
687. 3325-3326
688. 3327-3328
689. 3329-3330
690. 3331-3332
691. 3333-3334
692. 3335-3336
693. 3337-3338
694. 3339-3340
695. 3341-3342
696. 3343-3344
697. 3345-3346
698. 3347-3348
699. 3349-3350
700. 3351-3352
701. 3353-3354
702. 3355-3356
703. 3357-3358
704. 3359-3360
705. 3361-3362
706. 3363-3364
707. 3365-3366
708. 3367-3368
709. 3369-3370
710. 3371-3372
711. 3373-3374
712. 3375-3376
713. 3377-3378
714. 3379-3380
715. 3381-3382
716. 3383-3384
717. 3385-3386
718. 3387-3388
719. 3389-3390
720. 3391-3392
721. 3393-3394
722. 3395-3396
723. 3397-3398
724. 3399-3400
725. 3401-3402
726. 3403-3404
727. 3405-3406
728. 3407-3408
729. 3409-3410
730. 3411-3412
731. 3413-3414
732. 3415-3416
733. 3417-3418
734. 3419-3420
735. 3421-3422
736. 3423-3424
737. 3425-3426
738. 3427-3428
739. 3429-3430
740. 3431-3432
741. 3433-3434
742. 3435-3436
743. 3437-3438
744. 3439-3440
745. 3441-3442
746. 3443-3444
747. 3445-3446
748. 3447-3448
749. 3449-3450
750. 3451-3452
751. 3453-3454
752. 3455-3456
753. 3457-3458
754. 3459-3460
755. 3461-3462
756. 3463-3464
757. 3465-3466
758. 3467-3468
759. 3469-3470
760. 3471-3472
761. 3473-3474
762. 3475-3476
763. 3477-3478
764. 3479-3480
765. 3481-3482
766. 3483-3484
767. 3485

USSR/Cultivated Plants. Fodder Plants.

II

Abs Jour : Ref Zhur-Biol., No 15, 1953, 68221

Author : Kreydik, B. N., Maksunov, A. N.
Inst : Tadzhik Scientific Research Institute of
Agriculture.

Title : A New Development in Grass Sowing on the
Unirrigated Lands of Tadzhikistan.

Orig Pub : Byul. nauchno-tekhn. inform. Tadzh. n.-i.
In-t zemled., 1957, No 1, 32-37

Abstract : The results of experiments (1954-1956) are
presented in cultivating lucerne mixed with
sudan grass on unirrigated lands. When lu-
cerne (12 kg/hectare) and sudan grass (30 kg/
hectare were sown in alternate rows, the in-
crease in hay yield for the record year (1956)

Card : 1/2

USSR/Cultivated Plants. Fodder Plants.

11

Abs Jour : Ref Zhur-Biol., No 15, 1953, 63221

was 16.7 percent above the 97.1 centners/
hectare harvested on the control plot (pure
lucerne, sown in rows). On the basis of eco-
nomic utilization of lucerne sowings, recom-
mendations are given. -- V. S. Shmal'ko

Card : 2/2

KREYDIA 3. m.

1990

... ..

DATE: 11/11/2011, 09:11:57, 11.11.11

... .. 33

17414 2410. 1735.

1. The first of the two plots is a 1/2 acre plot of land, located in the north-east corner of the property, and is used for the purpose of growing corn. The second plot is a 1/2 acre plot of land, located in the south-west corner of the property, and is used for the purpose of growing soybeans.

2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 2681, 26

1. Increase of military spending and militarization of society.
2. Increase of military spending, the growth of the military, the
3. Increase of military spending, the growth of the military, the
4. Increase of military spending, the growth of the military, the
5. Increase of military spending, the growth of the military, the
6. Increase of military spending, the growth of the military, the
7. Increase of military spending, the growth of the military, the
8. Increase of military spending, the growth of the military, the
9. Increase of military spending, the growth of the military, the
10. Increase of military spending, the growth of the military, the

KREYDIK, B.M., zasluzhennyy agronom Tadzhikskoy SSR; NEVZOROV, V.V.,
zasluzhennyy agronom Tadzhikskoy SSR

Alfalfa in irrigation and dry farming. Zemledelie 27 no.2:37-41
F '65. (MIRA 18:4)

KREYDIN, M., inzh.

The road to the shops sometimes leads through the design and construction institute. Tekh. mol. 31 no.3:12-13 '63.

(MIRA 16:6)

(Engineering)

SAKHAROV, Mikhail Dem'yanovich; KREYDLIN, L.N., red.; BASINKEVICH,
I.R., red.izd-va; AKOPOVA, V.M., tekhn. red.

[Machine production of window units] Mekhanizatsiia proiz-
vodstva okonnykh blokov. Moskva, Goslesbumizdat, 1963. 106 p.
(MIRA 16:11)

(Windows)

KREYDLIN, N.N., kand.tekhn.nauk

Specific pressure curves in hot rolling. TSvet.met. 33 no.1:
70-75 Ja '60. (MIRA 13:5)

1. Giprotsvetmetobrabotka.
(Rolling(Metalwork))

MANTUROV, Oleg Vasil'yevich; SOLNTSEV Yurly Konstantinovich;
SORKIN, Yuriy Isaakovich; FEDIN, Nikolay Georgiyevich;
PUL'KIN, S.P., doktor fiz.-mat. nauk, retsenzent;
KONDRAT'YEV, V.A., kand. fiz. mat. nauk, retsenzent;
MISHIN, V.I., kand. ped. nauk, retsenzent; VEYTSMAN,
I.B., prepodavatel', retsenzent; KREYDLIN, Ye.G., pre-
podavatel', retsenzent; PYSHKALO, A.M., prepodavatel',
retsenzent; DITKIN, V.A., prof., red.; YAKOVKIN, M.V.,
red.

[Explanatory dictionary of mathematical terms; textbook
for teachers] Tolkovyi slovar' matematicheskikh terminov;
posobie dlia uchitelei. Moskva, Prosveshchenie, 1965.
539 p. (MIRA 18:7)

KREYDLIN, Ye.G.; PAZEL'SKIY, S.V., red.; KARPOVA, T.V., tokhn. red.

[Oral tests on mathematics for grades 8-10] Ustnye kontrol'-nye ruboty po matematike dlia 8-10 klassov. Moskva, Gos. uchebno-pedagog. izd-vo M-va prosv. RSFSR, 1961. 63 p.

(MIRA 15:2)

(Mathematics—Examinations, questions, etc.)

WREYER, H. E.

Distribution of Botkin's disease in the republic of the Estonian
S.S.R. Vop.med.virus. no.9:180-183 '64.

(MIRA 18:4)

1. Institut virusologii imeni Ivanovskogo. MSU 123, Moscow.

PAKTORIS, Ye.A.; KREYEK, Kh.Ya.; PODSEDLOVSKIY, T.S.; SPOTARENKO, S.S.;
FAYYERSHTEYN, S.G.

Results of mass use of gamma globulin during the pre-epidemic
season in the prophylaxis of epidemic hepatitis. Vop.med.virus.
no.9:392-408 '64. (MIRA 18:4)

KREYER, M.Ya.

Materials on gamma globulin prophylaxis for epidemic hepatitis
in the Estonian S.S.R. Vop.med.virus. no.9:408-412 '64.
(MIRA 18:4)

1. Institut virusologii imeni Ivanovskogo AMN SSSR, Moskva.

ENGINE, A. ".

Engines

Russian engines. Vest. mash. 31 No. 11, 1951.

9. Monthly List of Russian Accessions, Library of Congress, September 1952¹⁹⁵³, Uncl.

KREYER, A.M.

On the invention of self-ignition engines in Russia. Trudy po
ist.tekh. no.7:67-77 '54. (MLRA 7:7)
(Diesel engines--History)

REVIEW, A.M.

(The mixing machinery and equipment; a plan for improv-
ing by correspondence courses the qualifications of engi-
neers and in the field of "three-day construction
machinery and equipment") Novye sposoby i
ustanovki, uluchsheniye obshchego kachestva stroitel's-
tvennogo, 1971. 38 p. (Sov. 1971)

KREIER,; KREYER, G. K.; PASHEVICH, V. V.

"Kul'tura lekarstvennykh rastenii, Ogiz., Leningradsk'kh khoziz., 1934, 270 pp.

KREYER, K.O.

SHILOVA, Ye.I.; KREYER, K.O.

Carbon dioxide of the soil solution and its role in soil formation.
[with summary in English]. Pochvovedenie no.7:65-72 J1 '57.

(MIRA 10:11)

1. Leningradskiy ordena Lenina gosuniversitet imeni A.A.Zhdanova.
(Soil formation) (Carbon dioxide)

KREYER, R.

For you, employees of the merchant marine. Okhr. truda i sots.
strakh. 4 no. 2:52-53 F '61. (MIRA 14:2)

1. Instruktor Tsentral'nogo komiteta profsoyuza rabochikh
morskogo i rechnogo flota.
(Sailors (Navy))

1. KREYER, Ye.P.
2. USSR (600)
4. Frost
7. Brief survey of works on the effect of low temperatures on plant destruction, Trudy GGO no. 12, 1948.
9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

KREYIN, S. E.

Kreyin, S. E., Zašlavskiy, Yu. S. and Voinov, N. F.

Machine Parts

Smazochnoe maslo i dvigatel' . Moscow, Gosudarstvennoe Nauchno-Tekhnicheskoe
Isdatel'stvo, Neftyanoy i Gorno-Toplivnoy Literatury, 1952.
pp. 199, illus., diag's., 23 x 17.

LXIII-1

KREYL, D.

Cyclic arylazo-1,3-diketones. V. Metal complexes of 2-phenylazo-1,3-indandione. B. Gudriniece, A. Ievins, G. Vanags, L. Natsis, and D. Kreile. *Lakijas PSR Zinatnes* 1959, No. 10, 107-118 (in Russian); cf. preceding and following abstr. Phenylazoindandione Cu complex was obtained in 0.5 g. yield by keeping 1 g. CuSO₄·5H₂O in 20 ml. 1:1 water-pyridine and 0.55 g. Na phenylazoindandione in 25 ml. pyridine (II), to which 0.5 ml. H₂O was added, at elevated temp. 20 min., pptd. after dilg. with 200 ml. boiling H₂O. I contained 2 mols. phenylazoindandione (III) for each atom of Cu. Chelates of Ni, Co, and Cd were prepd. similarly. They contained 2 mols. III and 2 mols. II for each metal atom. II remained in complex even after 3 hrs. at 115°. It was easier to remove II from the Cd complex (IV) than from the other 2. IV was easily hydrolyzed. The Ag complex, obtained similarly, contained 1 mol. III and 1 mol. II for each Ag atom. Above 80° it pptd. as a dark red oil. 2-(o-Hydroxyphenylazo)-1,3-indandione (V); the product of coupling 1,3-indandione with diazotized o-aminophenol (at 0°, pH 7-8), formed 1:1 type complexes with Ag, Cu, Ni, Co, and Zn. The ease of formation of these complexes could be explained by the presence of inductive and mesomeric effects in V. Cu and Zn complexes of V contained 1 mol. II, and lost it on boiling in alk. soln. or on heating. Ni and Ag complexes of V contained 2 mols. of II; 1 mol. II in the Ag complex was probably bonded to Ag and another attached to the OH group connected to Ph. m- and p-Hydroxyphenylazoindandiones did not give complexes under the same conditions. Sulfonation of V gave 2-(o-hydroxyphenylazo)-1,3-indandione-1-sulfonic acid (VI), and sulfonation of p-hydroxyphenylazoindandione gave 2-(p-hydroxyphenylazo)-1,3-indandione-1-sulfonic acid (VII). These acids directly dyed wool and natural silk yellow. VI produced different colors when salts of different metals (Cu, Co, Ni, Cr, Fe) were used as mordants. With VII such great differences in color were not observed.

Walter Lobenz

7
1-JA3(VB)

IDAROV, A.N.; LISOGOR, M.M.; KAMELEV, A.M.; KOROVKIN, V.D.;
KALASHNIKOV, N.A.; KHEYL', F.E.; PETROV, V.V., kand.
tekhn. nauk, nauchnyy red.; KHEKHLOVSKAYA, N.S., red.;
KARASIK, N.P., tekhn. red.

[Manual for the rural motion-picture operator and mechanic]
Spravochnaya kniga sel'skogo kinomekhanika. Moskva, Izd-vo
"Sovetskaya Rossiya," 1961. 448 p. (MIRA 15:4)
(Motion-picture theaters—Equipment and supplies)

1 KEY, L.
GUDRINIECE, E. (Riga); IEVIN'SH, A. (Riga); VANAG, G. [Vanags, G.] (Riga);
NATELIS, L. [Nakele, L.] (Riga); KREILE, L. (Riga)

Research in the field of cyclic arylazo- β -diketones. V. Metal
complexes of 2-phenylazoindendiones-1,3. Vestis Latv ak no.10:
107-113 '59. (EEAI 9:10)

1. Akademiya nauk Latvyskoy SSR, Institut organicheskogo sinteza.
(Aryl groups) (Ketones) (Metals)
(Cyclic compounds) (Phenylazoindzndione)
(Complex compounds)

LERNER, I.P., dotsent; KREYLICH, A.M.; ANDRUSHCHENKO, Ye.V., kand.med.nauk.
Blood eosinophilia i some diseases of the digestive organs.
Vrach. delo no.9:133-135 8'63.

(MIRA 16:10)

1. Kafedra terapii (zav. - dotsent I.P.Lerner) III Kiyevskogo
instituta usovershenstvovaniya vrachey.
(EOSINOPHIIS) (DIGESTIVE ORGANS—DISEASES)

PICHUGIN, Anatoliy Anfinogenovich, dots., kand.tekhn.nauk; KREYMAN,
Adol'f Borisovich, inzh.; GORBATOVSKIY, I.V., red.;
GOSTISHCHEVA, Ye.M., tekhn. red.

[Machinery and automatic machinery at the construction
project] Mashiny i avtomaty na stroike. Novosibirsk, Novo-
sibirskoe knizhnoe izd-vo, 1962. 62 p. (MIRA 15:7)
(Construction equipment) (Automation)

LESNYAK, S.V.; KREYMAN, A.R.

Conditions of testing the tolerance for polyvaccine and the effect
of repeated vaccination on the reaction in the vaccinated persons.
Vak. 1 syv. no.1:185-193 '63. (MIRA 18:8)

1. Gosudarstvennyy kontrol'nyy institut im. Tarasevicha.

SHCHUKIN, Petr Dmitriyevich; KREYMAN, S.Ya., red.; BOGOSLAVETS, N.P.,
tekhn. red.

[Modernization of industrial equipment] Modernizatsia zavod-
skogo oborudovaniia, Moskva, Gos. nauchno-tekhn.izd-vo ma-
shinostroit. lit-ry, 1962. 157 p. (MLA 15:4)

1. Uralvagonzavod, Nizhniy Tagil.
(Nizhniy-Tagil--Industrial equipment--Technological innovations)

KROYMER, A. N. YA.

Kroymer, A. N. Ya.

"On Certain Aspects of Lecturing in Mathematics in the Schools of Working Youth." Min Education Azerbaydzhana SSR. Azerbaydzhana State Pedagogical Institute V. I. Lenin. Baku, 1955. (Dissertation for the degree of Candidate in Pedagogical Science)

So: Knizhnaya letopis', No. 27, 2 July 1955

KREYMER, A.Ya.

Tissue therapy with fish roe. Klin. med., Moskva 30 no. 11:88-89
Nov 1952. (CML 23:5)

1. Of Krivoy Luk Hospital (Head Physician -- A. Ya. Kreymer), Aleksandrovskiy Rayon, Tomsk Oblast.

KREYMER, A.Ya.

Hypnosis therapy of nocturnal enuresis in children. Padiatriia
no.1:74-77 Ja-F '54. (MLRA 7:3)

1. Iz Krivolutskoy bol'nitsy (glavnyy vrach A.Ya.Kreymer) Aleksan-
drovskogo raiona Tomskoy oblasti.
(Urine--Incontinence) (Hypnotism)

KREYMER, A. YA.

USSR/Medicine - Veterinary, Tissue Therapy; Fish Roe

Card 1/1

Author : Kreymer, A. Ya.

Title : Tissue therapy with fish roe in veterinary practice

Periodical : Veterinariya, 31, 48-49, May 1954

Abstract : Persistent fissure of teats in 15 cows was cured completely within 3-5 days after each of them received a 20-cc injection of suspension of fish roe. Experiments with 20 calves that had paratyphoid proved that fish roe in tissue therapy increases immunobiologic defensive properties of the organism in cases of infectious diseases. Injection of fish roe into the organism of horses resulted in healing of wounds that did not respond well to other methods of treatment. Tissue therapy with fine suspension of fish roe is a simple and convenient method of treatment and can be safely used in veterinary practice.

Institution :

Submitted :

KREYMER, A.Ya.

KREYMER, A.Ya. (Krivolutsk)

Hypnotherapy in hypertension. Klin.med. 32 no.3:65-67 Mr '54. (MLRA 7:5)

1. Iz Krivolutskoy bol'nitsy Aleksandrovskego rayona Tomskoy oblasti.
(Hypertension) (Hypnotism--Therapeutic use)

KREYMER, A.Ya

Method of differential supravital staining of erythrocytes.
Lab.delo no.1:28-29 Jan-Feb.'55. (MLRA8:8)

1. Iz Krivolutskoy bol'nitsy (glavvrach A.Ya Kerimer) Aleksandr-
ovskogo rayona Tomskoy oblasti.

(ERYTHROCYTES,

staining, differential supravital technic)

(STAINS AND STAINING,

erythrocytes, differential supravital technic)

KREYMER, A.Ya.

Treating nocturnal enuresis in a Pioneer camp. Vop.okh.mat. i det.
1 no.6:81-33 N-D '56. (MLRA 10:1)

1. Iz zheleznodorozhnoy bol'nitsy stantsii Tomsk II (glavnyy vrach
M.N.Tuzov); iz kafedry gosspital'noy pediatrii (zav. - prof. G.G.
Stuka) i kliniki nervnykh bolezney (zav. - dotsent N.V.Shubin)
Tomskogo meditsinskogo instituta imeni V.M.Molotova.
(URINE--INCONTINENCE) (HYPNOTISM)

KREYMER, A.Ya.

Hypnotherapy in certain skin diseases at a rural hospital. Vest.
ven. 1 derm. no.3:47-48 My-Je '56. (MLRA 9:9)

1. Iz Krivolutskoy bol'nitsy (glavnyy vrach A.Ya.Kreymer)
Aleksandrovskogo rayona Tomskoy oblasti.

(SKIN, diseases,
hypnotic technic (Rus))
(HYPNOSIS, therapeutic use,
skin dis. (Rus))

KREYMER, A. Ya. Cand Med Sci -- (diss) "Treatment of nocturnal enuresis by hypnotic sleep." Tomsk, 1957. 13 pp 20 cm. (Tomsk State Med Inst im V. M. Molotov), 200 copies. (KL, 13-57, 100)

KREYMER, A.Yn., kand.med.nauk (Tomsk)

Preventing nocturnal enuresis in children's institutions.

Med.sestra 17 no.6:19-23 Ja '58

(MIRA 11:6)

(URINE--INCONTINENCE)

KREYMER, A.Ya., kand.med.nauk (Tomsk).

Therapeutic and pathogenic aspects of verbal communication.

Med.svestra 17 no.9:32-38 S'58

(MIRA 11:10)

(MEDICINE, PSYCHOSOMATIC)

KREYMER, Aleksandr Yakovlevich

[Prevention and treatment of nocturnal enuresis in children]
Profilaktika i lechenie nochnogo nederzhaniia mochi u detei.
Moskva, Medgiz, 1960. 111 p. (MIRA 14:9)
(URINE--INCONTINENCE)

KREYMER, A.Ya.

Involvement of the nuclear substance in erythrocytes in experimental hemolytic anemias. Biul. eksp. biol. i med. 49 no.3:35-38 Mr '60.

(MIRA 14:5)

1. Iz kafedry patologicheskoy fiziologii (zav. - prof. D.I.Gol'dberg)
Tomskogo meditsinskogo instituta. Predstavlena deystvitel'ny
chlenom AMN SSSR V.N.Chernigovskim.

(ANEMIA)

(ERYTHROCYTES)

KREYMER, A.Ya.; PREGER, O.M.; BURNASHOV, I.G.

Use of the oxyhemometer for direct "reading" of electrophoregrams.
Lab.delo 7 no.7:58-61 J1 '61. (MIRA 14:6)

1. Tomskiy institut kurortologii i fizioterapii (nauchnyy rukovoditel' -
prof. A.S.Saratikov) i kafedra patologicheskoy fiziologii (zav. -
prof. D.I.Gol'dberg) Tomskogo meditsinskogo instituta.
(ELECTROPHORESIS)

KREYMER, A.Ya., kand.med.nauk

Treatment of nocturnal enuresis with hypnotic sleep. Sov.med.
25 no.2:130-133 F '61. (MIRA 14:3)

1. Iz kliniki gospiatal'noy pediatrii (zav. - prof. G.G.Stuks), kliniki
nervnykh bolezney (zav. - dotsent N.V.Shubin) Tomskogo meditsinskogo
instituta i zheleznodorozhnoy bol'nitsy stantsii Tomsk II (glavnyy
vrach M.N.Tuzov).
(URINE--INCONTINENCE) (HYPNOTISM--THERAPEUTIC USE)

KREYMER, A.Ya.

Changes in the blood serum protein composition in patients with chronic radiculitis during the course of vibratory bath treatment. Vop.med.nauk. 10 no.2:144-148 Mr-Apr '64. (MIRA 18:1)

1. Tomskiy nauchno-issledovatel'skiy institut kurortologii i fizioterapii.

USSR / Pharmacology, Toxicology. Cardiovascular Drugs. V

Abstr Jour: Ref Zhur-Biol., No 9, 1958, 42376.

Author : Kreymer, B. Ya.

Inst : Lvov State Ped. Institute.

Title : The Effect of Digitalis Infusion During Intravenous Chloral Hydrate Anesthesia.

Orig Pub: Nauk. zap. Lvivsk. derzh. ped. in-t, 1956, 5, 98-108.

Abstract: It was observed, in experiments on isolated hearts of frogs, that a preliminary perfusion with a digitalis infusion (I) in concentration of 1:250 and 1:300 considerably decreased the toxic action of chloral hydrate upon the heart. In experiments on dogs, preliminary intravenous injection of 8-30 drops of I permitted administration of higher doses of chloral hydrate (10-20 ml of a 10% solution)

Card 1/2

21

USSR / Pharmacology, Toxicology. Cardiovascular Drugs. V

Abs Jour: Ref Zhur-Biol., No 9, 1958, 42376.

Abstract: for the achievement of prolonged anesthesia, without affecting the work of the heart and the blood pressure. Similar results were obtained in the veterinary clinic, where chloral hydrate was used for anesthesia in horses, previously prepared with I. Preliminary injection of gitalin showed a weak antitoxic effect. -- A. A. Myazdrikova

Card 2/2

2. KREYMER, T. YA.

UKRAINE/Human and Animal Physiology - Digestion.

V-7

Abs Jour : Ref Zhur - Biol., No 1, 1958, 4067

Author : B. Kreymer, T. Boroda

Inst : -

Title : Influence of Copper Ions on the Content of Some Components of the Gastric Juice.

Orig Pub : Nauk. zap. L'vivs'k. derzh. ped. in-t, 1956, 5, 119-126

Abstract : Studies were conducted of the gastric juice of an adult dog with a fistula of the parotid gland and stomach, and of 2 puppies with gastric fistulas; the juice was collected before and after feeding, as well as after the introduction through the fistula of 3 to 20 ml of a 1% solution of CuSO_4 . The general acidity of the stomach (which was higher in the adult dog than in the puppies) rose intermittently after the administration of CuSO_4 , then started to gradually decrease, while the Cl contents continued to go up. Half an hour after the administration of CuSO_4 ,

Card 1/2

UKRAINA/Human and Animal Physiology - Digestion.

V-7

Abs Jour : Ref Zhur - Biol., No 1, 1958, 4067

the content of Cu ions was high, than started to decrease
and was insignificant at the end of one hour and a half.
No Cu was found in the saliva.

Card 2/2

USSR/Human and Animal Physiology - Excretion.

V-6

Abs Jour : Ref Zhur - Biol., No 4, 1958, 18289

Author : B.D. Shraybman and B.Ya. Kreymer

Inst : The Lvov State Pedagogical Institute.

Title : Biochemical Disturbances in the Composition of the Blood
in Experimental Kidney Damage. Preliminary Report.

Orig Pub : Dopovidi ta novidomennya L'vivs'k. derzh. ped. in-t, 1957,
No 2, 36-38

Abstract : No abstract.

Card 1/1

KREYMER, B.Ya., KURYLO, S.M.

New method for making a fistula of the common bile duct in dogs
[with summary in English]. Biul.eksp. biol. i med. 46 no.7:105-106
Je '58 (MIRA 11:7)

1. Iz laboratorii anatomii i fiziologii cheloveka i zhivotnykh
L'vovskogo gosudarstvennogo pedagogicheskogo instituta. Predstavlena
dey tvitel'nyy chlenom AMN SSSR, V.N. Chernigovskim.

(BILE DUCTS, COMMON, physiology,
exam. through artif. fistula, technic of application
(Rus))

L 18287-65 EWT(m)/EFT(c)/EWP(j)/T Pc-l/Pr-l RPL/ASD(m)-3 RM
 ACCESSION NR: AP5000478 S/0073/64/030/011/1195/1197

AUTHOR: Gershuns, A. L.; Kreymer, G. A.

TITLE: Synthesis and investigation of certain polyazomethines 7 8

SOURCE: Ukrainskiy khimicheskiy zhurnal, v. 30, no. 11, 1964,
 1195-1197

TOPIC TAGS: polyazomethine, polymeric Schiff base, coordination
 polymer, chelate polymer, polymer

ABSTRACT: Twenty-eight new polymeric Schiff bases containing complex-
 forming 0,0'-dihydroxy diazomethine groups have been prepared and
 converted to chelate polymers. The polymeric Schiff bases were pre-
 pared by polycondensation of 2,4-, 2,5-, or 2,6-diaminophenol; 2,5-
 or 2,6-diaminoresorcinol; triaminophloroglucinol; or bis(4-hydroxy-
 3-aminophenyl) sulfone with phthalaldehyde, terephthalaldehyde, meth-
 ylenebis(salicylaldehyde), or glyoxal. The polymeric Schiff bases
 were amorphous, brown-to-yellow powders, insoluble in organic solvents
 and decomposing at above 300C. The absorption of Cu^{2+} , Co^{2+} , Ni^{2+} , or
 UO_2^{2+} from acetate solutions to form the chelate polymers was studied.

Card 1/2

L 18287-65
ACCESSION NR: AP5000478

The polymeric Schiff bases from glyoxal and triaminophloroglucinol or 2,4-diaminoresorcinol had the greatest absorption capacity. The chelate polymers from glyoxal and triaminophloroglucinol or 2,4-diaminoresorcinol also showed the greatest resistance to the removal of the metal ion by dilute acids. Orig. art. has: 1 table and 1 formula.

ASSOCIATION: Khar'kovskiy gosudarstvennyy universitet im. A. M. Gor'kovo (Kharkov State University)

SUBMITTED: 21Oct63

ENCL: 00

SUB CODE: 00, 00

NO REF SOV: 007

OTHER: 016

ATD PRESS: 3156

Card 2/2

1ST AND 2ND DEGREE

PROCESSES AND PROPERTIES INDEX

CA

Adsorption of iron from solutions by precipitated manganese dioxide. G. KENTON
 J. Chem. Ind. (Moscow) 7, 1057 (1931); Chem. Zvest. 1930, 11, 781. Al(SO₄)₃ solna
 conig. Fe were cleared from almost all Fe by filtration over MnO₂. The Fe is taken
 up by adsorption only. A. BUNCH

ASH S.A. METALLURGICAL LITERATURE CLASSIFICATION

Simultaneous reduction of oxides of iron, titanium and columbium with aluminum. G. S. Kreimer. *J. Applied Chem.* (U. S. S. R.) 13, 1267-50 (in French, 1271) (1940).
 --A preliminary report. In thermal reduction of oxides of Fe, Cb and Ti with Al, the yield of Ti was considerably lower than that of Cb. This selective process became more pronounced in the presence of Al in amounts necessary for the reduction of Fe and Cb oxides to metals and TiO_2 to TiO . The reduction of TiO_2 with Al presumably proceeded in stages: the first $TiO_2 \rightarrow TiO$ is exothermic and the second $TiO \rightarrow Ti$ is endothermic. The equil. of the second reaction is shifted to the left and its equil. const. is of a higher order than the equil. const. for the reduction of Cr_2O_3 .
 A. A. Podgorniy

1st and 2nd orders																										1st and 4th orders																									
PROCESSING AND PROPERTIES INDEX																																																			
<div style="display: flex; justify-content: space-between;"> CA 9 </div> <p>Ferrocolumbium from ores containing columbium and zirconium. G. S. Kreimer. USSR, 64,178, Jan. 31, 1945. The ores are reduced by Al or Si in such quantity that Cb is reduced and enters the alloy, while Zr remains in the slag. M. Hosh</p>																																																			
AISI-SAE METALLURGICAL LITERATURE CLASSIFICATION																																																			
1st and 2nd orders																										1st and 4th orders																									
1st and 2nd orders																										1st and 4th orders																									

M

"Methods for the Determination of the State of Dispersion and the Specific Surface of Tungsten and Tungsten Carbide Powders. G. S. Kreimer, M. R. Vakhovskaya, O. S. Safonova, and E. E. Bogino (*Zavod. Lab.*, 1949, 15, (2), 159-167).—[In Russian]. Experiments were carried out which were based on: (1) the rate of adsorption by the powder of methylene blue from aq. solutions, (2) the rate of oxidation of the powder by HNO_3 , (3) the rate of catalytic decomposition of H_2O_2 by the powder, (4) the degree of volume contraction in sintering compressed powder specimens. The first method is not very reliable; the second and fourth give concordant results for both tungsten and tungsten carbide; the third is applicable to metallic tungsten only.—T. O. I.

See 1951

KREYMER, G. S.

USSR/Metals - Tungsten

May 52

"Reactive Diffusion of Carbon Into Tungsten. Part I," G. S. Kreymer, L. D. Efros, Ye. A. Voronkova

"Zhur Tekh Fiz" Vol XXII, No 5, pp 858-873

Diffusion of carbon into tungsten produces new carbide phases, 1st WC and thereafter W_2C , contrary to data by Andrews and Dushman (cf. J. Phys. Chem, 29, 1925) and by Pirani and Sandor (cf. J. Inst of Metals, 73, 385, 1947). Relation to time of isothermal growth of W_2C layer is given.

222130

The coeff of diffusion could be computed. Indebted to Prof Ya. S. Umanskiy and to help by the laboratory of the hard alloys combine. Received 10 Feb 51.

222130

KREYMER, G. S.

USSR/Metals - Tungsten

May 52

"Reactive Diffusion of Carbon Into Tungsten.
Part II. Investigation of Carbon Diffusion in
Unstrained Tungsten," G. S. Kreymer, L. D. Efros,
Ye. A. Voronkova

"Zhur Tekh Fiz" Vol XXII, No 5, pp 874-876

Authors prove experimentally that the diffusion
coeff is not affected by the previous treatment
of tungsten. This is probably due to the fact
that tensions vanish at the temp (1500-1800°) of
the test. Even if some tensions remain in the re-
crystd material they are without effect on the
speed of diffusion. Received 8 Aug 51.

222T31

KREYMER, G.S.

✓ Strength of cemented tungsten carbide-cobalt alloy as a function of temperature and grain size. G. S. Kreimer, G. S. Safonova, and A. I. Baranov. *Zhur. Tekh. Fiz.* 25, 117-24 (1955).—A no. of $6 \times 5 \times 35$ -mm. bars of 94% WC-6% Co alloy with carefully graded grain size of 1, 1-1.5, 1-2, and 2-4 μ were fractured in a machine (described) at 20-800° and their breaking strength plotted and tabulated. The strength decreases with the temp. for the finest alloy from 118.6 kg./sq. mm. to 40.1 kg./sq. mm. and for the coarsest from 129.0 to 74.0 kg./sq. mm. It increases to a max. at around 200° and then declines in all cases. Grain size and the thickness of Co mesh were estd. in finished alloys by measuring their coercive force which drops with larger grain and thicker mesh. The possibility of plastic microscopic slips is reduced with thinner mesh as well as redistribution of local stresses permitting them to reach their tensile strength earlier. The initial strengthening with the increasing temp. is increased with higher microplasticity of Co layer, though above 200° the softening effect overbalances the influence of the plasticity changes. Macroplasticity was observed only with finest grain and at 1000°, in all other cases specimens broke with no deflection at all.

J. D. Gat

(2)

KREYMER, S. S.

25(1) 1

PHASE I BOOK EXPLOITATION SOV/2446

Akademiya nauk SSSR, Institut nauchnoy i tekhnicheskoy informatsii

Title: Izgotovleniye izdeliy metodami poroshkovoy metallurgii
(The Manufacture of Products by the Methods of Powder Metallurgy)
Moscow, Filial Vsesoyuznogo instituta nauchnoy i tekhnicheskoy
informatsii, 1957. 23 p. (Series: Peredovoy nauchno-tekhnicheskii
i proizvodstvennyy opyt. Tema 4, No. M-57-320/3)
1,400 copies printed.

Ed.: A. N. Malov, Candidate of Technical Sciences; Exec. Ed.:
L. Ye. Shobik, Engineer; Tech. Ed.: T. M. Sorokina.

PURPOSE: This booklet is intended for specialists in the field of
powder metallurgy.

COVERAGE: The three articles in this brief collection deal with
several aspects of the manufacture of sintered-metal and cemented-carbide products. The first article is concerned with the
effect of various factors (chemical composition, surface
treatment, carbide grain size, and temperature) on the fatigue
Card 1/3

The Manufacture (Cont.)

SOV/2446

limit of cemented tungsten-cobalt carbides at normal and elevated temperatures. The remaining two articles deal with centrifugal mixers for cermet compositions and with a four-cavity compacting die for iron-ceramic bushings. No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

Kreymer, G. S.; I. I. Sidorin; and Ye. F. Tishchenkova. Fatigue Limit of Hard Alloys at Normal and Elevated Temperatures	3
Effect of chemical composition of hard alloys on their fatigue limit	7
Effect of surface treatment on the fatigue limit of hard alloys	11
Effect of the grain size of the carbide phase on the fatigue limit of tungsten-cobalt carbides	13
Effect of Temperature on the Fatigue Limit of Hard Alloys	14
Conclusions	17

Temkin, I. V. Centrifugal Mixers for Metal-Ceramic Compositions	20
---	----

Card 2/3

The Manufacture (Cont.)

SOV/2446

Nikolayev, N. N. Four-cavity Die for Compression-molding of
Iron-Ceramic Bushings

23

AVAILABLE: Library of Congress

GO/jb
10-27-59

Card 3/3

Kreymer, G. S.

126-2-22/35

AUTHORS: Kreymer, G. S., Baranov, A. I., and Safonova, O. S.

TITLE: Static and cyclic strength of metalloceramic hard alloys consisting of tungsten carbide and cobalt. (Staticheskaya i tsiklicheskaya prochnost' metallokeramicheskikh tverdykh spлавov karbid vol'frama-kobal't).

PERIODICAL: Fizika Metallov i Metallovedeniye, 1957, Vol.5, No.2, pp. 361-364 (USSR).

ABSTRACT: Thin cobalt layers enclosed between tungsten carbide grains of very high hardness and very high values of the modulus of elasticity are in a blocked state and the ability of such layers to plastic deformation is braked and, consequently, their strength is increased and their plasticity reduced, as was found in earlier work of the authors of this paper (Ref.17). The thinner the cobalt layer the larger will be the degree of blocking and the higher should be the strength and the brittleness. However, with increasing brittleness the local stress concentration increases and this reduces considerably the nominal strength. Experimental proof of this point of view is contained in an earlier paper of the authors (Ref.17) in which the bending strength of the tungsten carbide BK6 containing 6% Co was investigated as a function

Card 1/4

126-2-22/35

Static and cyclic strength of metalloceramic hard alloys consisting of tungsten carbide and cobalt.

the test temperature and the grain size. It was found that for any of the investigated grain sizes (1 to 4μ) the curves "temperature-strength" had a clearly pronounced maximum at 200°C . Since the only variable factor in the given case was the plasticity of the cobalt inter-layers, the results revealed the influence of plasticity on the strength in the above mentioned sense. Independently of the authors of this paper, V. V. Baron and Savitskiy, Ye. M. (Ref.18) detected a maximum in the "temperature-strength" curves of a number of brittle metals and alloys, particularly of inter-metallic compounds, whereby the hardness decreased monotonously with increasing temperature. The authors of this paper considered it of interest to carry out tests in new directions which would directly or indirectly confirm the here expressed point of view and these comprised the study of the cyclic strength of tungsten carbides with cobalt as a function of the thickness of the cobalt inter-layers and, consequently, as a function of the plasticity. It was anticipated that in the case of cyclic loading the degree of plasticity should have an

Card 2/4

126-2-22/75

Static and cyclic strength of metalloceramic hard alloys consisting of tungsten carbide and cobalt.

influence at least as large on the strength as in the case of static loading since in this case the stress concentration is of greater importance. The tests consisted of bending rotating specimens which were fixed on one side, whereby the specimens consisted of the investigated carbide and mild steel, the shape and dimensions of which are indicated by the sketch, Fig.1, p.362. The tests were based on five million loading cycles. Furthermore, the bending strength and the hardness were measured. The results are entered in a table, p.362, and four photographs of the microstructure of the specimens are reproduced in Fig.2. The obtained data confirm the view that the reduction in plasticity of the cobalt inter-layers with a decrease in thickness leads to a decrease in the strength and thus also to a decrease in the strength of the material as a whole.

There are 2 figures, 1 table and 19 references, 9 of

Card 3/4 which are Slavic.

SUBMITTED: June 8, 1956.

ASSOCIATION: All-Union Research Institute for Hard Alloys.
(Vsesoyuznyy Nauchno-Issledovatel'skiy Institut Tverdykh Splavov).

126-2-22/35

Static and cyclic strength of metalloceramic hard alloys consisting of tungsten carbide and cobalt.

AVAILABLE: Library of Congress.

Card 4/4

SOV/180-59-3-16/43

AUTHORS: Alekseyeva, N.A., Baranov, A.I. and Kreymer, G.S. (Moscow)

TITLE: Strength, Hardness and Impact Toughness of Hard Tungsten-Cobalt Alloys in Relation to their Composition, Structure and Temperature of Investigation

PERIODICAL: Izvestiya Akademii nauk, SSSR, Otdeleniye tekhnicheskikh nauk, Metallurgiya i toplivo, 1959, Nr 3, pp 92-98 (USSR)

ABSTRACT: Three series of alloys were investigated with grain sizes of 1.64, 3.3 and 4.95 microns. Alloys in each series containing 2, 4, 8, 10, 15, 20 and 25% Co were made. The characteristics of the alloys are given in Table 1. Figures 1, 2 and 3 show the relation between bending strength and cobalt content. With increase in cobalt content the strength increases to a maximum. For series 1 and 2 the maximum is at about 20% cobalt and for the coarser grained series 3, at 15% cobalt contents. With lower cobalt contents the coarser grained alloys had higher strengths. Fig 4 shows that there is a linear relationship between hardness and cobalt content. With increase in cobalt content the hardness decreases. The hardness also decreases with increasing grain size. Values for impact strength are given in Fig 5 and the

Card 1/2

SOV/180-59-3-16/43

Strength, Hardness and Impact Toughness of Hard Tungsten-Cobalt Alloys in Relation to their Composition. Structure and Temperature of Investigation

effects of temperature and grain size are given in Fig 6. With low cobalt content and fine grain size, the material shows a brittle fracture which does not depend on the temperature. With increase in cobalt content and increase in tungsten carbide grain size, there is an increase in impact strength because of an increase in elastic deformation. The investigation showed that in the bending test, the deformation takes place at the cobalt cementing films and the decisive factor in the strength is the microplasticity of the cobalt phase. It is shown that a continuous network of cobalt phase is required to give alloys which are tough and strong. There are 6 figures, 1 table and 11 references, 1 of which is German, 3 English and 7 Soviet.

SUBMITTED: December 9, 1958

Card 2/2

24-53-3-15/38

AUTHORS: Kreymer, G.S., Sidorin, I.I. and Tishchenkova, Ye.F.

TITLE: Fatigue Strength of Hard Sintered Tungsten Carbide-and-Cobalt Alloys
(Ustalostnaya prochnost' metallokeramicheskikh tverdykh splavov karbid vol'frama-kobal't)

PERIODICAL: Izvestiya Akademii Nauk SSSR, Otdel'niye Tekhnicheskikh Nauk, 1953, Nr 3, pp 113-118 (USSR)

ABSTRACT: Tests were carried out upon specimens of sintered tungsten-carbide cobalt compositions mounted as simply supported centrally loaded bent beams in a special yoke fixture adapted to a Schenck resonance fatigue machine for tension-compression loading. A non-symmetrical loading cycle with a constant dissymmetry co-efficient was applied five million times. The specimens, ground by a chemical-mechanical method, were surface lapped with boron carbide. The same set-up was used at elevated temperatures, when the specimen was surrounded with an externally heated chamber containing argon or helium. The tests were designed to establish the relations between the fatigue strength and the composition (cobalt content) or the grain size at both room and elevated temperatures. The fatigue strength closely follows the regularities of static

Card 1/2

24-58 3-15/38

The Fatigue Strength of Sintered Compositions of Tungsten Carbide and Cobalt.

strength in relation to cobalt content, grain size and temperature. Some discussion of these relations, common to static and fatigue strength, is given alongside graphs of mechanical properties and fatigue strength over a range of the above variables. The practical conclusion is reached that under conditions of metal cutting, alloys with a lower cobalt content may not only have a greater wear resistance, but also a larger fatigue strength. This effect, verified under production conditions, increases with the cutting speed, i.e. the temperature of the cutting edge. In fatigue theory, the part played by initial plasticity as a measure of fatigue resistance has been emphasised. There are 4 tables, 9 figures and 5 references, 2 of which are Soviet, 2 English and 1 German.

ASSOCIATION: *Vsesoyuznyy* nauchno-issledovatel'skiy institut tverdykh splavov MVTU im. Bauman (All-Union Research Institute for Hard Alloys MVTU im. Bauman)

SUBMITTED: June 18, 1957.

Card 2/2 1. Alloys--Fatigue

34701

S/137/62/090/002/044/14

A006/A101

15.2410

AUTHORS: Kreymer, G. S., Khudosovtsev, S. A., Safonova, O. S., Bogino, E. M.

TITLE: Research for new sintered carbide grades for pneumatic impact drilling

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 2, 1962, 32. abstract 2G258 ("Sb. tr. Vses. n.-i. in-t tverdykh splavov", 1960, no. 2, 3-14)

TEXT: From 4 initial W-powders, 8 series of experimental WC-Co sintered carbides were prepared containing 8, 11, 15 and 20% Co. The W-powders were produced by H₂ reduction at 650 - 820; 720 - 800; 900 and 1,200°C with conventional and intensified grinding of the mixtures. The sintered carbides obtained were subjected to perforating drilling tests on a stand at 7 atm, on rocks of 16 - 18 class strength (according to Protod'yakonov). The absence of breakdowns of the plates and wear resistance were taken as criteria of suitability in selective laboratory-scale tests. Highest strength in pneumatic impact drilling was shown by coarse-grained WC-Co sintered carbides, prepared on the base of tungsten that was reduced at 1,200°C. A decrease of the grain size by intensified grinding of the mixtures, caused a decrease in a_k and the operational

Card 1/2

Research for new sintered carbide grades ...

5/13/62/000/002/04/14:
A006/A101

strength of the sintered carbide, in spite of maintained and even slightly increased ϵ_{H} . From sintered carbides BK 8 (VK 8), BK 11 (VK11), BK 115 (VK11V) and standard BK 15 (VK15), tested under industrial conditions, the latter proved unsuitable for drilling on БА 100-П1 (BA100-P1) unit under conditions of the Tyrny-Auz and similar deposits. VK11V showed the best results of all the sintered carbides tested; its operational strength factor was by 1.5 times higher than that of VK15 and the advance per 1 bit was twice as high.

I. Brokhin

[Abstracter's note: Complete translation]

Card 2/2

34699

S/137/62/000/002/040/14

A006/A101

15.2240

AUTHORS: Kreymer, G. S., Baranov, A. I., Alekseyeva, N. A.

TITLE: Strength, hardness and ductility of cermet WC-Co sintered carbides as functions of their composition, structure and test temperature

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 2, 1962, 29, abstract 26231 ("Sb. tr. Vses. n.-i. in-t tverdykh splavov, 1960, no. 2, 57-78)

IPAC The authors investigated strength characteristics of WC-Co sintered carbides as a function of the Co-content, grain size and test temperature. Tests were performed with 3 series of sintered carbides with 2, 4, 6, 10, 15, 20, and 25% Co with different grain size of the WC-phase: 1) 1 - 1.6 μ ; 2) 2 - 3.3 μ ; 3) 3 - 4.95 μ at 20, 300, 400, 600 and 800 °C. Curves are plotted showing the dependence of σ_b on the aforementioned factors. On the basis of experiments performed the authors prove the decisive effect of ductility (micro-ductility) of Co-layers on the strength (σ_b) of sintered carbides; in these layers stresses and deformations are concentrated when external loads are applied. A certain effect on σ_b is also exerted by the strength of carbide grains whose softening (for instance with a greater deficiency of coarse grains) causes initial cracks.

Card 1/2

Strength hardness and ductility ...

S/137/62/000/002/040/144
A006/A101

At impact load, sintered carbides with low Co content and small grain size are subjected to brittle failure (by tearing off); in this range a_k does not depend on temperature, but increases with a higher C content and greater WC grain size, on account of higher elastic deformation. At a sufficiently high Co content and increased WC grain size, the ductile properties of the Co-layer appear (in connection with reduced obstruction of the Co layers by WC grains) and a dependence of a_k on temperature manifests itself; a_k increases rapidly with a higher Co amount, greater grain size and raised temperature. The authors believe that the experimental results prove the continuity of Co-phase in WC-Co sintered carbides. There are 17 references.

T. Brokhin

[Abstracter's note: Complete translation]

Card 2/2

18.6100
188200

82626
S/180/60/000/004/021/027
E193/E483

AUTHOR: Kreymer, G.S. (Moscow)

TITLE: Transverse Rupture Strength, Hardness and Structure
of Cobalt-Bonded Sintered Tungsten Carbides 2]

PERIODICAL: Izvestiya Akademii nauk SSSR, Otdeleniye tekhnicheskikh
nauk, Metallurgiya i toplivo, 1960, No.4, pp.129-135

TEXT: The object of the present paper was critically to review work of other investigators who have studied the effect of various factors on mechanical properties of hard alloys, to correlate their results with those obtained in the past by the present author and to discuss certain specific features by which the variation of the properties of hard metals is characterized. It is pointed out that curves, illustrating the effect of the binder content, grain size of the WC phase, and temperature on the transverse rupture strength of cobalt-bonded sintered tungsten carbides, all pass through a maximum; the temperature dependence of fatigue of these alloys is also characterized by a maximum and the same applies to the relationship between compressive strength and the binder content of these alloys. At the same time, hardness of these alloys

Card 1/4

82626

S/180/60/000/004/021/027

E193/E483

Transverse Rupture Strength, Hardness and Structure of Cobalt-Bonded Sintered Tungsten Carbides

linearly decreases with increasing cobalt content, rising temperature and increasing grain size of the WC phase. If the data on the dependence of strength and hardness of hard alloys on their cobalt content are combined in the form of strength/hardness relationship, a curve reproduced in Fig.5 is obtained which also passes through a maximum. A decrease in the transverse rupture strength with increased cobalt content and increasing grain size of the WC particles (represented by the branches on the right side of the maxima of the corresponding curves) has been shown to be associated with the increase in thickness of the cobalt layers separating the tungsten carbide grains. The results of many investigations of similar structures, consisting of two phases with widely differing hardness and resistance to deformation, have shown that the ability of the softer phase to deform plastically is reduced by the presence of grains of the hard phase. Whatever is the explanation of this effect, it becomes less pronounced with increasing distance between the hard phase particles, i.e. with

Card 2/4

82626

S/180/60/000/004/021/027
E193/E483

Transverse Rupture Strength, Hardness and Structure of Cobalt-Bonded Sintered Tungsten Carbides

increasing content of the softer phase. The constitution of most hard alloys of practical importance is such that the variation of their strength and other properties are represented by the left branches of the appropriate curves, this relationship being the reverse of that discussed above and for this reason referred to sometimes as anomalous. The present author discusses the results of a number of investigations and shows that simultaneous increase in strength and plasticity in inherently brittle materials is not confined to hard metals but is a characteristic common to all metals and alloys of low plasticity. This effect has its origin in the mechanism of brittle fracture. Theoretical considerations, based on the Griffith-Orowan theory of brittle fracture, led the present author to the conclusion that the formation and growth of cracks in tungsten carbide/cobalt hard alloys takes place in the cobalt layers separating the WC grains, this view being supported by the findings of Pavlov and Yakutovich (Ref.28) who have found that in the case of a steel

Card 3/4

82626

S/180/60/000/004/021/027
E193/E483

Transverse Rupture Strength, Hardness and Structure of Cobalt-Bonded Sintered Tungsten Carbides

consisting of hard martensitic grains embedded in ferritic matrix, formation of cracks takes place in ferrite. There are 6 figures and 31 references: 17 Soviet, 7 English and 7 German.

SUBMITTED: July 28, 1959

Card 4/4

85963

18.6100

1417

S/126/60/010/005/010/030
E021/E406

AUTHORS: Kreymer G.S., Vakhovskaya, M.R. and Baranov, A.I.
TITLE: Strength, Toughness and Hardness of Two-Phased Cermet
Titanium Carbide - Tungsten Carbide - Cobalt Hard Alloys
PERIODICAL: Fizika metallov i metallovedeniye, 1960, Vol.10, No.5,
pp.698-709

TEXT: Alloys containing 4, 6, 9, 15, 20 and 25% cobalt and a titanium carbide - tungsten carbide ratio of 1:1 were prepared in three series with average grain sizes of 0.9, 2.6 and 5.6 microns. The bending strength was determined on a P-5 (R-5) machine (Ref.1) at 20, 200, 500, 800 and 1000°C. The impact strength and the Vickers hardness were also determined. Microstructures of the samples were examined. Fig.1 shows the relation between the bending strength and cobalt content at various temperatures. Differences were found from the results obtained on tungsten carbide - cobalt alloys (Ref.5). Increasing cobalt content up to 15% in TiC - WC - Co alloys had no effect on the strength at temperatures from 20 to 500°C. The cobalt content - bending strength curves passed through a maximum at a cobalt content greater

Card 1/3

85963
S/126/60/010/005/010/030
E021/E406

Strength, Toughness and Hardness of Two-Phased Cermet Titanium Carbide - Tungsten Carbide - Cobalt Hard Alloys

than 15% at 20 to 500°C, and at approximately 15% at 800 and 1000°C. The alloys with a grain size of 5.6 microns, however, showed practically constant strength with increase in cobalt content at 800 and 1000°C; similar curves were obtained for the impact strength - cobalt content relationship. The fact that an increase in cobalt content up to 15% had no effect on the bending strength and impact strength in the region 20 to 500°C was explained by the poor wetting properties of cobalt on the TiC - WC grains. This formed a continuous network of carbide when less than 15% cobalt was present. Thus cracks which were nucleated could propagate, in the main, along the brittle carbide network (see Fig.3). With greater than 15% cobalt or at temperatures higher than 500°C, the cobalt phase retarded the development of the cracks. A linear relationship was found between the strength and $D^{-1/2}$ where D is the mean grain size of the TiC - WC solid solution. The hardness decreased with increase in cobalt content (Fig.9), increase in temperature (Fig.11) and decrease in the grain size of

Card 2/3

85963

S/126/60/010/005/010/030
E021/E406

Strength, Toughness and Hardness of Two-Phased Cermet Titanium Carbide - Tungsten Carbide - Cobalt Hard Alloys

the carbide phase (Fig.10) because of an increase in plasticity. The difference in hardness of the samples with different grain sizes decreased with increase in temperature (Fig.11). There are 11 figures, 1 table and 15 references: 11 Soviet and 4 Non-Soviet.

ASSOCIATION: Vsesoyuznyy nauchno-issledovatel'skiy institut
tverdykh splavov (All-Union Scientific Research
Institute of Hard Alloys)

SUBMITTED: January 7, 1960 (initially)
June 24, 1960 (after revision)

X

Card 3/3

KREYMER, G. S.

PHASE I BOOK EXPLOITATION

SOV/5566

Zorev, N.N., Doctor of Technical Sciences, Professor, and G.S. Kreymer, Candidate of Technical Sciences

Vysokoproizvoditel'naya obrabotka stali tverdosplavnymi reztsami pri preryvistom rezanii (High-Productivity Machining of Steel With Hard-Alloy Tools in Intermittent Cutting) Moscow, Mashgiz, 1961. 78 p. 6,500 copies printed.

Reviewer: M.N. Larin, Doctor of Technical Sciences, Professor; Ed. of Publishing House: I.I. Lesnichenko; Tech. Ed.: L.P. Gordeyeva; Managing Ed. for Literature on Metalworking and Machine-Tool Making: V.V. Rzhavinskiy, Engineer.

PURPOSE: This book is intended for process engineers in machine-building plants and technical personnel in mechanical shops and laboratories.

COVERAGE: The book gives a concise account of the complete machining of steel parts by intermittent cutting with coarse cuts. The suggested methods are based on the efficient use of recently developed hard alloys with high resistance to cyclic thermal and mechanical loads. Concrete practical recommendations are given for reducing, by 2 to 3 times, cycle time in machining complex-shaped

Card 1/3

High-Productivity Machining (Cont.)

SOV/5566

forgings, steel castings, and weldments on large planers, lathes, boring mills, and machines. The following persons carried out the testing of hard alloys at the machine-building plants indicated in parentheses: V.S. Serebrevskiy (UZTM); V.F. Mordvinova and Ya. V. Fidyuk (NKMZ); and Z.M. Fetisova, B.G. Chizov, and V. Yu. Katsnel'son (EZTM). The results of investigations conducted by VNIITS, TsNII TMASH, and various factories, as well as practical recommendations on the introduction of hard-alloy tools in reciprocating cutting and in other cases of intermittent coarse-chip cutting, are briefly discussed. There are no references.

TABLE OF CONTENTS:

Introduction	3
Methods for Producing New High-Strength Hard Alloys	5
Producing the Experimental Variants of Hard Alloys	11
Selecting the Alloy Structure and Its Production Methods	12
Selecting the Optimal Chemical Compositions of a Hard Alloy	21

Card 2/3

KREYMER, G.S.

Strength theory of tungsten carbide-cobalt ceramic metal hard alloys. Porosh. met. 1 no.5:33-41 S-O '61. (MIRA 15:6)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut tvordykh splavov.

(Ceramic metals--Testing)

S/180/62/000/003/012/016
E193/E192

AUTHORS: Kreymer, G.S., and Safonova, O.S. (Moscow)

TITLE: The effect of the rate of cooling during sintering or heat treatment on the properties of the tungsten carbide-cobalt solid solutions

PERIODICAL: Akademiya nauk SSSR. Izvestiya. Otdeleniye tekhnicheskikh nauk. Metallurgiya i toplivo, no.3, 1962, 94-97

TEXT: The fact that solid solubility of WC in Co varies with temperature suggests that the structure of Co-bonded cemented carbides and, consequently, their mechanical and other properties, may depend on their thermal history, in particular on the rate of cooling after sintering or heat treatment; hence the present investigation, conducted on alloys BK 4 (VK4) (4% Co), BK8B (VK8V) and BK 8 (VK8) (8% Co). The effect of the duration of heat treatment and of subsequent rate of cooling was studied on alloys VK4 and VK8V. Specimens of these alloys were moved in a stream of hydrogen first through the heating chamber of a furnace at
Card 1/3

The effect of the rate of cooling...

S/180/62/000/003/012/016
E193/E192

1000 °C, and then through its cold, water-cooled zone; by varying the rate of travel, annealing times of 30, 60 and 110 minutes were attained, the corresponding cooling rates being 25, 13 and 7 °C per minute. Before and after each test the following properties were measured: Vickers hardness, transverse bending strength, reduction of area, coercive force, wear resistance, and the WC grain size. The effect of cooling after sintering was studied on alloys VK8 and VK8V; these were sintered in hydrogen at 1430 or 1480 °C, respectively, and then cooled to room temperature at a rate of 2 or 40-80 °C/min. In this case, in addition to the properties listed above, the impact strength of the alloys and the lattice parameter of the Co-rich matrix were determined. The results can be summarized as follows. 1) Neither the grain size of the WC phase, nor the mechanical properties of alloys VK4 and VK8V, were affected by the duration of heat treatment at 1000 °C, or by the variation of subsequent cooling rate. 2) The rate of cooling after sintering had no effect on the coercive force, hardness, bending strength and impact strength of VK8 and VK8V alloys; it was found, however, that the wear-resistance of either

Card 2/3

The effect of the rate of cooling... S/180/62/000/003/012/016
E193/E192

alloy could be approximately doubled by slowing the cooling rate down to 2 °C/min from 40-80 °C/min. 3) Increasing the rate of cooling after sintering brought about an increase in the lattice parameter of the Co matrix which indicated that a large quantity of WC was retained in the solid solution under these conditions. 4) The presence of free carbon in the alloys studied had no effect on the changes brought about by the variation of the cooling rate.

There are 1 figure and 2 tables.

SUBMITTED: November 25, 1961

Card 3/3

11897

15 2400

S/180/62/000/005/009/011
E071/E535

AUTHORS: Kreymer, G.S., Alekseyeva, N.A. and Baranov, A.I.
(Deceased), (Moscow)

TITLE: Creep of tungsten carbide-cobalt cermets

PERIODICAL: Akademiya nauk SSSR. Izvestiya. Otdeleniye tekhnicheskikh nauk. Metallurgiya i toplivo, no.5, 1962, 163-166

TEXT: The creep in bending of БК6 (VK6) alloy (6% Co, remainder WC) was studied at 300°C on 5 x 5 x 35 mm specimens prepared from two grain sizes of WC powder, applying loads of 10, 15, 20 and 25 kg/mm². The results, presented as creep curves, show that the specimens pass through two stages of creep: steady-state and transient-state creep. The test time was up to 6 hours. The nature of the creep curves obtained indicates that the deformation of specimens increases with decreasing grain size of the WC powder. The extent of this effect is much greater than that usually observed in homogeneous alloys; this evidences the importance of the processes occurring in grain boundaries during the creep of cermets. The acceleration of the creep rate when the Card 1/3